

HARASS™

herbicide

PRE-PLANT OR AT-PLANTING BURNDOWN IN COTTON, FIELD CORN, RICE, GRAIN SORGHUM, AND SOYBEANS

HARASS herbicide may be applied for burndown of emerged weeds before planting, or at planting, of cotton, field corn, rice, grain sorghum and soybeans.

DIRECTIONS FOR USE

HARASS may be used as part of a pre-plant or at-planting burndown treatment, in combination with other suitable registered herbicides. Read and follow all manufacturers label recommendations for the companion herbicide. If those recommendations conflict with this label, do not tank mix the herbicide with HARASS. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. In fields to be planted to cotton, apply HARASS at 0.2 to 0.33 ounce per acre. Allow at least 7 days between application and planting of cotton. In fields to be planted to field corn, grain sorghum, rice or soybeans, apply HARASS at 0.3 to 0.6 ounce per acre for control or partial control of the weeds listed on the EPA registered label. Include a nonionic surfactant, petroleum based crop oil concentrate, or vegetable seed-based oil product (methylated seed oils are considered a vegetable seed-based oil).

- If another herbicide is tank mixed with HARASS to increase the broadleaf weed spectrum, select adjuvants based on the adjuvant limitations of the companion herbicide.

SPRAY ADJUVANTS

Nonionic Surfactant (NIS)

Apply at a rate (concentration) of 0.25-0.5% v/v/(1-2 qt per 100 gal spray solution). Use the higher rate in hot and dry conditions to enhance control.

Crop Oil Concentrate

Under dry conditions or during cool weather, a petroleum-based crop oil concentrate, or

vegetable seed-based oil product may be used in place of a nonionic surfactant at 1-2 gallon/100 gal of spray solution (1-2% v/v) to enhance weed control. Use a petroleum-based crop oil concentrate with at least 14% emulsifier/surfactant and 80% oil.

Ammonium Nitrogen Fertilizer

An ammonium nitrogen fertilizer can be added to a surfactant or a crop oil concentrate to enhance control. Alternatively, a high quality, sprayable grade of ammonium sulfate (21-0-0) may be used.

IMPORTANT PRECAUTIONS

Seedling disease, nematodes, cold weather, deep planting (more than 2"), excessive moisture, high salt concentration, and/or drought may weaken cotton seedlings and increase the possibility of crop injury. Cotton resumes normal growth once favorable growing conditions return.

RESTRICTIONS

- DO NOT apply after planting sorghum or rice.
- DO NOT apply later than 7 days before planting cotton.
- DO NOT allow livestock to graze on, or feed forage, hay or straw from treated soybean fields.
- DO NOT make more than one pre-plant or at-planting application of HARASS to field corn, rice, sorghum, or soybeans per growing season.
- DO NOT apply more than 0.6 oz of HARASS to rice or grain sorghum pre-plant or at-planting.
- DO NOT apply more than 0.6 oz HARASS per acre per growing season to field corn or soybeans. Application(s) to these crops can be made pre-plant/at-planting, and/or postemergence. Refer to EPA registered label for specific post-emergence use directions.

**IMPORTANT
BEFORE USING HARASS HERBICIDE, READ
AND FOLLOW ALL APPLICABLE
DIRECTIONS, RESTRICTIONS, AND
PRECAUTIONS ON THE EPA-REGISTERED
LABELS.**

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies on the Section 3 Federal product label.

HARASS™ is a trademark of Cheminova