

Cheminova, Inc.
Material Safety Data Sheet
Garant™ T&O 75 WSP

MSDS Number: 10200007120
MSDS Version 1.2

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name: Garant™ T&O 75 WSP

Product use: Broad spectrum systemic insecticide for use in a variety of indoor and outdoor applications.

Supplier's name and address:

Cheminova Inc.

1700 Route 23, Suite 300

Wayne, NJ, USA

07470

Phone #: (973) 305-6600 (8 AM to 5:00 PM EST, Monday to Friday)

Emergency Telephone #: 1-866-303-6950 (Medical Emergencies)

1-800-424-9300 (24 Hr. Chemtrec Number)

MSDS Prepared by: Cheminova Inc.

MSDS Preparation date: December 6, 2005

Revision date: December 6, 2005

Revision reasons: New MSDS

Manufacturer's name and address:

Refer to supplier.

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Imidacloprid	138261-41-3	75.00

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview

Caution! Harmful if swallowed, inhaled or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing dust or vapor.

Physical State

Solid powder

Odor

none

Appearance

Light brown

Routes of Exposure

Ingestion, Eye contact, Skin contact, Skin Absorption, Inhalation

Immediate Effects

Eye

Causes eye irritation. Avoid contact with eye

Skin

Harmful if absorbed through skin. Avoid contact with skin and clothing.

Ingestion

Harmful if swallowed. Do not take internally.

Inhalation

Harmful if inhaled. Avoid breathing dust or vapor.

Cheminova, Inc.
Material Safety Data Sheet
Garant™ T&O 75 WSP

MSDS Number: 10200007120
MSDS Version 1.2

SECTION 4. FIRST AID MEASURES

General	Have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment advice.
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious or convulsing person.
Inhalation	Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or Poison Control Centre immediately.
Notes to Physician Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point	not applicable
Suitable Extinguishing Media	water, carbon dioxide (CO2), foam, dry chemical
Fire Fighting Instructions	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Dike area to prevent runoff and contamination of water sources. Equipment or materials involved in pesticide fires may become contaminated. In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
Methods for Cleaning Up	Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Cheminova, Inc.
Material Safety Data Sheet
Garant™ T&O 75 WSP

MSDS Number: 10200007120
 MSDS Version 1.2

Additional Advice Use personal protective equipment. Do not allow material to enter streams, sewers, or other waterways.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Do not allow children and pets to enter the treated area until it has dried. Handle and open container in a manner as to prevent spillage.

Storing Procedures Do not freeze. Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Work/Hygienic Procedures Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before re-use. Before removing gloves clean them with soap and water. As soon as practical, wash thoroughly and change into clean clothing. Wash hands always before eating, drinking, smoking or using the toilet.

Min/Max Storage Temperatures 30 day average temperature not to exceed 38°C (100°F).

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Train employees in safe use of the product. Follow all label instructions. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

Engineering Controls Ensure adequate ventilation. Use with local exhaust ventilation.

Eye/Face Protection tightly fitting safety goggles

Hand Protection Chemical resistant gloves made of waterproof material such as polyethylene or polyvinyl chloride

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection When respiratory protection is necessary under the conditions of use, wear a respirator approved by the National Institute for Occupational Safety and Health (NIOSH).

Exposure Limits				
Sodium aluminum silicate	1344-00-9	ACGIH	TWA	2 mg/m3
		Expressed as NIOSH	REL	as Al 2 mg/m3
		Expressed as OSHA Z1A	TWA	as Al 2 mg/m3
		Expressed as		as Al

Cheminova, Inc.
Material Safety Data Sheet
Garant™ T&O 75 WSP

MSDS Number: 102000007120
MSDS Version 1.2

US CA OEL

TWA PEL

2 mg/m3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	light brown
Physical State	solid powder
Odor	none
pH	7 (1 %) suspension in water
Bulk Density	30 lbs/cu.-ft.
Water Solubility	dispersible

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended storage conditions.
Hazardous Decomposition Products	Thermal decomposition hydrogen cyanide (hydrocyanic acid) Carbon monoxide nitrogen oxides (NOx) hydrogen chloride (HCl)

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been conducted on this product as formulated. The non-acute information pertains to the active ingredient, imidacloprid.

Acute Oral Toxicity	male rat: LD50: 2,591 mg/kg female rat: LD50: 1,858 mg/kg
Acute Dermal Toxicity	male/female rabbit: LD50: > 2,000 mg/kg

Cheminova, Inc.
Material Safety Data Sheet
Garant™ T&O 75 WSP

MSDS Number: 10200007120
MSDS Version 1.2

Acute Inhalation Toxicity	male rat: LC50: 2.65 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. (actual) female rat: LC50: 2.75 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. (actual) male rat: LC50: 10.6 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50. (actual) female rat: LC50: 11.0 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50. (actual)
Skin Irritation	rabbit: Slight irritation.
Eye Irritation	rabbit: Mild eye irritation.
Sensitization	guinea pig: Non-sensitizing
Subchronic Toxicity	In a 3-week dermal toxicity study, rabbits treated with imidacloprid showed no local or systemic effects at levels up to and including 1000 mg/kg, the limit dose. In a 4-week inhalation study, rats exposed to high concentrations of imidacloprid exhibited decreased body weight gains and changes in clinical chemistries and organ weights.
Chronic Toxicity	In chronic dietary studies in rats and dogs exposed to imidacloprid, the target organs were the thyroids and/or liver.
Assessment Carcinogenicity	In oncogenicity studies in rates and mice, imidacloprid was not considered carcinogenic in either species.
ACGIH	None.
NTP	None.
IARC	None.
OSHA	None.
Reproductive & Developmental Toxicity	REPRODUCTION: In a two-generation reproduction study in rats, imidacloprid was not a primary reproductive toxicant. Offspring exhibited reduced body weights at the high dose and in conjunction with maternal toxicity. DEVELOPMENTAL TOXICITY: In developmental toxicity studies in rats and

Cheminova, Inc.
Material Safety Data Sheet
Garant™ T&O 75 WSP

MSDS Number: 10200007120
MSDS Version 1.2

rabbits, there was no evidence of an embryonic or teratogenic potential for imidacloprid. In both species, developmental effects were observed only at high doses and in conjunction with maternal toxicity.

Neurotoxicity In acute and subchronic neurotoxicity screening studies in rats, imidacloprid produced slight neurobehavioral effects in each study at the highest dose tested. There were no correlating morphological changes observed in the neural tissues.

Mutagenicity The imidacloprid mutagenicity studies, taken collectively, demonstrate that the active ingredient is not genotoxic or mutagenic.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions Highly toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.
This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Ecological Information This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:
Not regulated for Domestic Surface Transportation

FREIGHT CLASSIFICATION:
Insecticides or Fungicides, N.O.I., other than poison

SECTION 15. REGULATORY INFORMATION

Cheminova, Inc.
Material Safety Data Sheet
Garant™ T&O 75 WSP

MSDS Number: 102000007120
MSDS Version 1.2

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16. OTHER INFORMATION

NFPA

Health - 1 Flammability - 1 Reactivity - 1 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions.

™Garant is a trademark of Cheminova.