



**REPORT™ EXTRA HERBICIDE**

**USE ON WINTER AND SPRING WHEAT IN THE STATES OF MONTANA;  
NORTH DAKOTA; SOUTH DAKOTA; AND IN NORTHEAST WYOMING**

EPA Reg. No. 67760-82

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions, and precautions on the EPA-registered label.

NOTE: Read and follow all instructions under “Specific Weed Problems” on this label and the Federal Section 3 Label regarding specific uses.

REPORT EXTRA Herbicide is a dry flowable formulation that, when applied at 4/10 ounce per acre, will suppress Green Foxtail (pigeongrass), Yellow Foxtail and Persian Darnel in winter and spring wheat. This is only recommended for use in Montana, North Dakota, South Dakota, and in Northeast Wyoming.

Weeds Suppressed<sup>1</sup> at 4/10 Ounce Per Acre

- Green foxtail (pigeongrass)
- Yellow foxtail
- Persian Darnel

<sup>1</sup>Weed suppression is a visible reduction in weed competition (reduced population and/or vigor) as compared to an untreated area. Degree of suppression will vary with rate used, size of weeds and environmental conditions following treatment.

**SPECIFIC WEED PROBLEMS**

Foxtail/Pigeongrass (Green and Yellow): Fall or Spring postemergence applications at 4/10 oz/A in winter wheat or spring wheat will suppress these foxtail species. Applications made in the spring (only on land that has been in fallow the previous year), also give suppression. Postemergence applications at 4/10 oz/A should be made with surfactant before the foxtail is more than 1” tall or beyond the 1-2 leaf stage. 1/2 to 1” of rainfall is needed (after postemergence treatment) to move REPORT EXTRA into the weed root zone before the foxtail is beyond the 2-3 leaf stage. Without adequate rainfall incorporation before the foxtail is beyond the 2-3 leaf stage, foxtail suppression may not be adequate.

Persian Darnel: Fall or Spring postemergence applications at 4/10 oz/A in winter wheat or spring wheat will suppress Persian Darnel. Postemergence applications at 4/10 oz/A should be made with surfactant before the Persian Darnel is beyond the 2 leaf stage of growth. 1/2 to 1” of rainfall is needed (after postemergence treatment) to move REPORT EXTRA into the weed root zone before the Persian Darnel is beyond the 2 leaf stage. Without adequate rainfall incorporation before the 3 leaf stage, Persian Darnel suppression may not be adequate.

**PRECAUTIONS**

Fall application may only provide short-term suppression. Sufficient rainfall after postemergence treatment is necessary to move REPORT EXTRA 2 to 3 inches into the weed root zone before weed seeds germinate and develop an established root system or before existing weeds grow beyond the seedling stage. In most areas, fall treatments provide the best opportunity for rainfall activation and most consistent residual weed control. Late spring applications may not receive enough rainfall after treatment resulting in poor weed control. Without sufficient rainfall to move REPORT into the weed root zone, weeds that germinate after treatment will not be controlled.

Excessive rainfall after treatment may result in unsatisfactory weed control performance.

**RESTRICTIONS**

Apply REPORT EXTRA no more than once per crop cycle at a rate of 4/10 oz per acre.

**IMPORTANT****BEFORE USING REPORT EXTRA, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.**

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

**Read the WARRANTY DISCLAIMER, INHERENT RISKS OF USE, and LIMITATION OF REMEDIES on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the WARRANTY DISCLAIMER, INHERENT RISKS OF USE, and LIMITATION OF REMEDIES on the Section 3 Federal product label.**

This labeling must be in the possession of the user at the time of pesticide application.

REPORT™ is a trademark of Cheminova

Cheminova Inc.  
One Park Drive, Suite 150  
P.O. Box 110566  
Research Triangle Park, NC 27709  
[www.cheminova.us.com](http://www.cheminova.us.com)